

ET/503 96423US



PATENT
AUS920010193US1
(9000/34)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
APPLICATION FOR UNITED STATES PATENT**

INVENTOR(S): KEITH K. T. HO

TITLE: METHOD AND SYSTEM FOR
INVENTORY MANAGEMENT

ATTORNEYS: IBM CORPORATION
Intellectual Property Law Dept.
11400 Burnet Road - 4054
Austin, Texas 78758
(512) 823-0000

METHOD AND SYSTEM FOR INVENTORY MANAGEMENT

5

TECHNICAL FIELD OF THE INVENTION

The present invention generally relates to parts inventory systems, and in particular, to an inventory management system capable of identifying
10 interchangeable parts.

BACKGROUND OF THE INVENTION

Some business enterprises use hundreds of thousands of parts in manufacturing various products. Many of these manufacturing enterprises have computer-based systems for monitoring parts held in inventory. These automated inventory systems generally allow users to select parts and determine their availability in the inventory.

One problem faced by manufacturers is excessive inventory, or more specifically, unbalanced inventory. Unbalanced inventories can occur in manufacturing operations where the demand for a certain part causes shortages of that part, while other parts remain in inventory, unused. These unused parts stored in inventory often become obsolete over time. Further, it is frequently the case that if these obsolete parts remain unused, they eventually become worthless, representing a loss to the business enterprise.

25 Thus, there is a need for an improved inventory system and method that permits a reduction in excessive or unbalanced inventory.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG.1 is a block diagram of an exemplary inventory system in accordance with the present invention;

FIG. 2 is a flowchart illustrating a method of operating the search engine
5 of FIG. 1, in accordance with the present invention;

FIG. 3 is diagram illustrating an exemplary recursive search performed by the search engine of FIG. 1; and

FIG. 4 shows an exemplary list of interchangeable parts generated by the system of FIG. 1.

09224066-032001

used when neither A nor B are available. A predefined syntax relying on arithmetic symbols, such as "=", "+", "-", etc. can be used to specify functional relationships.

5 The search engine 20 executes a recursive search algorithm that accesses the tables 28-30 of the relational database 22. The algorithm repeatedly searches the tables to produce the list of parts 24.

10 The update interface 32 permits system administrators to update the part information contained in the database 22. Though the interface 32, an administrator can add new part IDs and functional relationships to the tables 28,30, as well as update or delete existing part entries. The update interface 32 can be implemented as one or more HTML (hypertext markup language) web pages generated by a Java application executing on the server 12. Among other things, the web pages can include forms for entering part information, administrator information, such as user IDs and password, as well as selections
15 for manipulating part records in the database 22.

20 The server-based host 12 can be built using a conventional three-tiered web server architecture having an HTTP (hypertext transfer protocol) server, application server, and database server (not shown). The functions of the network interface 26 can be performed by the HTTP server, the functions of the search engine 20 and update interface 32 can be performed by the application server, and the database 22 can be provided by the database server.

25 At least some of the functions and components of the server-based host 12 can be implemented in software using a standard programming language, such as Java, and stored in a computer-usable medium, such as a CDROM, solid-state memory, DVD, floppy disk, hard disk, or the like.

FIG. 2 is a flow chart 50 illustrating a method of operating the search engine of FIG. 1. In step 52, a part ID is received by the search engine 20. The part ID can be included in a user request web page sent from the remote workstation 16. In response to receiving the part ID, the search engine 20
5 retrieves one or more corresponding functional relationships from the database 30 (step 54). The interchangeable part IDs specified by the functional relationships are then added to the list of interchangeable parts 24 (step 56). The search engine 20 then proceeds to recursively search the database 22 on the interchangeable part IDs to expand the list 24 (step 58). In this manner, the
10 grouping of interchangeable parts is done dynamically, and thus, it possible to deploy the inventory system in an online, real-time web-based application.

FIG. 3 is a diagram illustrating an exemplary recursive search performed by the search engine 20. This example relies on the part IDs and functional relationships illustrated in FIG. 1. In the first step of the recursive search, the
15 search engine 20 receives part ID "A" as an initial input. The search engine 20 then searches the relational database 22 for the functional relationships corresponding to part ID "A". The search results in retrieving the functional relationship $A=B$. Next, the search engine 20 searches the relational database 22 for the part ID "B". This search returns the functional relationship $B=C+2D$.
20 The search engine then searches the database 22 for part ID "C". This returns the functional relationship $C=E$.

Next, the engine 20 searches the database 22 using part ID "D". This returns the functional relationship $D=F$. And finally, the search engine 20 searches on the part ID "E", which returns the functional relationship $E=G$ and
25 $E=H$.

After completing this recursive search routine, the search engine 20 generates the list of interchangeable parts. The list of parts is then transferred over the network 14 to the user interface 18, where it is displayed. The list can be part of an HTML web page, or any other file format suitable for display by the user interface 18.

FIG. 4 shows an exemplary list 60 of interchangeable parts generated by the search depicted in FIG. 3, using the database 30 depicted in FIG. 1. The list 60 includes all combinations of interchangeable parts that are functionally equivalent to part A, which was initially input to the system. By using the recursive search routine, an expanded list of available parts is presented to a user. This can be an effective tool for reducing excessive inventory.

While the embodiments of the present invention disclosed herein are presently considered to be preferred, various changes and modifications can be made without departing from the spirit and scope of the invention. The scope of the invention is indicated in the appended claims, and all changes that come within the meaning and range of equivalents are intended to be embraced therein.